# **ASSAM POWER GENERATION CORPORATION LIMITED**

# OFFICE OF THE CHIEF GENERAL MANAGER (HYDRO & CIVIL), BIJULEE BHAWAN, GUWAHATI-781001



NIT NO: - Tender Notice No. 03 of 2020-21 of CGM (H&C) dtd: 05.08.2020

NAME OF THE WORK: - Construction of office chamber of CGM (PP&I), APGCL

August-2020

Price: - ₹500/- (Non-Refundable)

# **INDEX**

<u>Chapter</u>		<u>Page</u>	No
Chapter-I	Tender Notice		2
Chapter-II	Terminology		4
Chapter-III	Instruction for bidders and special Conditions		5
Chapter-IV	Safety Engineering and Safety Code		12
Chapter-V	Contractor's Camp		13
Chapter-VI	Declaration		14
Chapter-VII	Declaration of litigation		15
Chapter-VIII	Schedule of works		16
Chapter-IX	Drawings		22

# **CHAPTER-I**

#### TENDER NOTICE



# ASSAM POWER GENERATION CORPORATION LIMITED

Registered Office: Bijulee Bhawan, 2<sup>nd</sup> floor, Paltanbazar, Guwahati-781 001, Assam. Email: cgmh2010@yahoo.in, Tele-Fax: 0361-2739522. Ratnajit Biswanath

Chief General Manager (Hydro & Civil)

Notice No. APGCL/CGM (H&C)/03 of 2020-21

Date: 05/08/2020

The Chief General Manager (Hydro & Civil), APGCL, Bijulee Bhawan, Paltanbazar, Guwahati-1 invites sealed tenders in prescribed forms from bonafide, experienced and financially sound contractors/firms for the following works:

Sl.		Tendered	Earnest	Т:	
No.	Name of work	amount (Rs.)	General	SC/ST/OBC	Time of
110.		(including GST)	(Rs.)	(Rs.)	completion
1	Construction of office				
	chamber of CGM(PP&I), APGCL	Rs. 4,88,685.00	Rs. 9,780.00	Rs. 4,890.00	45 days

The bid documents may be obtained from the office of the Chief General Manager (Hydro & Civil), APGCL on written request to the Chief General Manager (Hydro & Civil), during office hours on all working days w.e.f. 06/08/2020 to 13/08/2020 on payment (non-refundable) of Rs. 500.00 (Rupees five hundred only) in the shape of Demand Draft only from Nationalized/Schedule Bank in favor of Deputy General Manager (F&A), APGCL. The bid documents may also be downloaded from the website www.apgcl.org. The bidders are to quote their rates against each item in clear money (Rupees) value per unit of work.

The cost of bids is to be deposited separately with the downloaded tenders alongwith Earnest Money. The tenders will be received up to 12.00 P.M. of 13/08/2020 and will be opened at 1.00 P.M. on the same day in presence of the tenderers or their authorized representatives.

Due to the ongoing Covid-19 pandemic APGCL is strictly following the social distancing norms and outsiders are not allowed in the office premises. Therefore, **the bids are to be submitted in the designated Tender Box kept at the security booth of Ground Floor, Bijulee Bhawan**. Further, bids will be opened in the O/o the CGM (H&C), APGCL solely by the officers of APGCL.

The Chief General Manager (Hydro & Civil), APGCL is not bound to accept the lowest rate and reserves the right to accept or reject any or all tenders without assigning any reason thereof. Any addendum/corrigendum/extension in respect of this tender shall be issued on APGCL's website: <a href="https://www.apgcl.org">www.apgcl.org</a>.

Chief General Manager (Hydro & Civil), APGCL Memo No. APGCL/CGM (H&C)/W/2020-21/833/13

Date: 05/08/2020

Copy to: -

- 1) The Managing Director, APGCL, Bijulee Bhawan, Paltanbazar, Guwahati-1, for favour of kind information.
- 2) The Chief General Manager (Gen), APGCL, Bijulee Bhawan, Paltanbazar, Guwahati-1, for information.
- 3) The Chief General Manager (F&A), APGCL, Bijulee Bhawan, Paltanbazar, Guwahati-1, for information.
- 4) The General Manager, Design (Civil), APGCL, Narengi, Guwahati-781 026, for information and wide circulation.
- 5) The P.R.O, APDCL, Bijulee Bhawan, Paltanbazar, Guwahati-1 for information with a request to publish the NIT in 1 (one) issue of Local Dailies in Regional and English language on or before 06/08/2020.

6) Relevant File.

Chief General Manager (Hydro & Civil),

**APGCL** 

#### **CHAPTER-II**

#### 1 TERMINOLOGY

- 1.01 APGCL wherever used in this document shall mean Assam Power Generation Corporation Limited incorporated vide The Companies Act 1961 in exercise of Powers conferred under the Act including subsequent amendments, if any. APGCL is a successor company of ASEB.
- 1.02 CGM (H&C) or owner or purchaser or project authority wherever used in this document shall mean the officer holding the post of the Chief General Manager (Hydro & Civil) APGCL, Guwahati (Assam), who or his authorized representative will exercise authority on behalf of the Department in respect of the Tender and the works specified herein.
- 1.03 Engineer-in-Charge/or engineer shall mean the Officer holding the charge of the Departmental post of General Manager/ Assistant General Manager (Civil) pertaining to supervision of works specified in this document.
- 1.04 The term 'Contractor' wherever used in this document shall mean the individual/firm or company who shall have entered into a contract agreement with the owner or the project authority, undertaking on his behalf to carry out the works in full or in part as may be specified in contract documents, and shall include in the case of an individual/ his heirs, administrators and permitted assignees, in case of a firm, the partners of the said firm, their respective heirs, executors, administrators and permitted assignees, and in case of a Company its successors and permitted assignees.
- 1.05 Contract documents shall mean and comprise the following documents and shall be the basis of agreement between the owner and the contractor for carrying out the works in accordance with the terms and conditions, specifications, drawings and directions contained in the said documents.
  - a) Bid documents duly filled in respect of rates, process & signed, the tender forms properly filled in, signed and dated by the contractor & duly submitted.
  - b) Contractor's original bid proposal and subsequent correspondences relating to clarifications and negotiations, if any, prior to award of the contract.
  - c) Equipment, specifications and drawings, so far as applicable
  - d) Approved agreement forms duly signed, dated and sealed by the contractor and the owner as specified in the said forms
- 1.06 'Equipment' and 'Plants' shall mean and include all sorts of machineries and accessories, apparatus, instruments, components manufactured articles and parts etc. to be supplied or provided by the contractor under the terms of the contract, unless otherwise specified
- 1.07 The 'Works' shall unless be repugnant to such description shall be construed and taken to mean the works contracted, or by virtue of the contract agreement, to be executed whether temporary or permanent and whether original, altered, substituted or additional
- 1.08 The expression 'Specifications' wherever used in this document shall mean all the pertinent terms and stipulations furnished herein in respect of the work or part thereof and/or indicated in the drawings appended hereto and to be issued for construction and shall have reference also to other relevant terms and stipulations not furnished herein, but as far as applicable

## **CHAPTER-III**

#### INSTRUCTION FOR BIDDERS AND SPECIAL CONDITIONS

E-Tender Notice No- 03 of 2020-21 of CGM (H & C) Dated: -05/08/2020

#### BID INVITATION FOR: -

Construction of office chamber of CGM (PP&I), APGCL

#### **EARNEST MONEY DEPOSIT:**

Rs. 9,780.00 (for General) Rs. 4,890.00 (for SC/ST/OBC) (For Individual only)

# 1. <u>DUE DATE AND CLOSING TIME</u>

The bid will be received up to 12.00 p.m. on 13.08.2020. The opening time of the bids will be at 1.00 p.m. on the same day and the venue will be the office of the Chief General Manager (Hydro & Civil), APGCL. Bidders or their authorized representatives will make it convenient to attend the bid opening on time.

## 2. TIME OF COMPLETION OF WORK

The stipulated time of completion of the work is 45 (forty five) days from the date of handing over the site.

#### 3. BID-GUARANTEE OR EARNEST MONEY DEPOSIT: (E.M.)

- 3.1 Every bid or tender shall be accompanied by a deposit of E.M for an amount indicated in the Tender Notice pertaining to the work (ordinarily equivalent to 2% of the estimated value of work, unless otherwise specified in the Notice). **EMD amount in any other form will not be accepted.** Irregular tender is liable to be rejected.
- 3.2 The E.M. as mentioned above will be returned to the respective unsuccessful bidder soon after the award of the contract. The E.M. will be retained towards the contract security deposit in the case of selected bidder or bidders in whose favour the contract is awarded. The APGCL will not entertain any claim for release of the E.M. during pendency in selection of contractors for awarding the contract. The APGCL will not pay any interest on the E.M. deposit.
- 3.3 The E.M. is liable to be forfeited in the absolute discretion of the CGM (H&C), APGCL, if a selected bidder revokes or causes to withdraw his offer / tender before the expiry of its validity or fails after the contract is awarded to him to execute the 'Contract agreement' with the APGCL described herein after (so far as applicable) or to commence the work within the period as notified in the work order.

#### 4. PERFORMANCE –GUARANTEE OR SECURITY DEPOSIT (S.D.)

- 4.1 The security to be taken for due performance of the contract in terms of the 'contract agreement' will be a deduction of 10% (ten percent) from every ad-interim payment made on account of works performed, until the sum of these deductions and E.M. together becomes equal to 10 (ten) percent of the total executed value.
- 4.2 Such S.D. shall be forfeited or appropriated by the CGM (H&C), APGCL, Bijulee Bhawan, Guwahati under authority of the owner in his discretion towards any loss, damage etc. that may be sustained by the APGCL as a result of breach of any terms, conditions of the contract by the contractor, notwithstanding other remedies open to the APGCL under the terms of the contract or law.

- 4.3 In the event of contractor's Security Deposit being appropriated towards loss, damage etc, the contractor shall forthwith recoup the amount to restore the Security Deposit to the full current value within 30 (thirty) days from the date of intimation.
- 4.4 Subject to the provisions mentioned above and the provisions of guarantee period of one year, the Security Deposit will be returned to the contractor on the due and satisfactory completion of the contract and after all claims of the APGCL shall have been settled. The APGCL will not pay any interest on the amount of Security Deposit of Performance Guarantee.

## 5. TAXES AND DUTIES:

5.1 All duties, taxes including Goods and Services Tax (GST) and other levies, royalty, building and construction workers cess (as applicable in states), payable by the bidder/Contractor under the Contract, or for any other cause as applicable on the last date of submission of Bid, shall be included in the rates, prices and the total Bid Price submitted by the Bidder. All investments, operating expenses, incidentals, overheads leads, lifts, carriages, tools, and plants etc. as may be attendant upon execution and completion of works shall also be included in the rates, prices and total Bid price submitted by the bidder.

However, such duties, taxes, levies etc. which is notified after the last date of submission of Bid and/ or any increase over the rate existing on the last date of submission of Bid shall be reimbursed by the company on production of documentary evidence in support of payment actually made to the concerned authorities.

Similarly if there is any decrease in such duties, taxes and levies the same shall become recoverable from the contractor. The details of such duties, taxes and other levies along with rates shall be declared by the bidder.

The Employer will perform such duties in regard to the deduction of such taxes at source as per applicable law.

- 5.2 The contractors must have a valid GST Registration No. and should submit copy of GST Certificate and attested copy of PAN Card.
- 5.3 Caste certificate must be produced where necessary.

# 6. <u>BIDDER'S QUALIFICATIONS:</u>

- 6.1 The Bidder should submit a list and description of similar or comparable works previously executed by him successfully during last 3 (three) consecutive financial years indicating the individual volume and contract price along with the name and address of the respective owner / authority.
- 6.2 All prospective bidders are hereby notified that, before any bid submitted in response to this invitation is considered for award, the CGM (H&C), APGCL may require the bidder to submit a further statement of facts in detail as to the previous experience of the bidder and financial resource available with him for performing the contemplated work. The CGM (H&C), APGCL expressly reserves the right to reject any bid or which the facts as to business, financial and other resources or business experience, compared with the work bid upon, justify such rejection.
- 6.3 The Bidder should submit valid Labour License Certificate.
- 6.4 Civil Engineering firms / contractors with adequate experience must complete 2 (two) similar works having total value not less than Rs. 2.44 lakh during last the last 3 (three) financial years i.e. 2018-19, 2017-18 and 2016-17. They must submit such completion certificate with the tender.
- 6.5 Cost overrun shall not be accepted.
- 6.6 Contractors should be financially sound to invest the amount and should submit necessary evidence on this account. **Annual turnover should not be less Rs. 2.44 lakh in**

each of the last three Financial Years i.e. 2018-19, 2017-18 and 2016-17 as per audited financial statement.

- 6.7 It should be ensured that the contractors shall have **Provident Fund Code No**. It will be ascertained that all the workers engaged by the contractor directly should be registered for Employees' Provident (EPF) and due contribution have been credited into their account and insurance certificate should be submitted.
- 6.8 <u>Documents related to bidder's Firm</u>: Certificate of registration of the Firm (in case of Solo Proprietor)/ Partnership Deed (in case of LLP)/ Certificate of Incorporation' together with Memorandum / Articles of Association (in case of Company), whichever is applicable.

#### 7. BIDDER SHOULD EXAMINE & UNDERSTAND

7.1 All prospective bidders are required to thoroughly study and carefully examine all the terms and conditions, instructions, drawing & specifications pertaining to the work and visit the field of work to fully satisfy and acquaint themselves about the nature and location of work, the configuration of the ground. The spring level, the surface conditions, quality and quantity of materials required and their availability the type of equipment and facilities needed preliminary to and during the execution of the work and local conditions which may affect the work or cost thereof. Failure to do so will be at the bidder's risk.

#### 8. SUBMISSION OF TENDER

- 8.1 Bidders are to quote their rates against each item in clear money (Rupees) value (both in figures and words) per unit of work in the prescribed format. It may be noted that the rates are to be quoted for all the items of the estimate of the BOQ; otherwise the bid of that particular bidder will be rejected.
- 8.2 The rates quoted by the bidders will be inclusive of all taxes, royalties and other statutory levies as applicable.
- 8.3 The specification of the items in BOQ shall be as per the APWD SOR. If any items of the BOQ are not in the SOR then its specifications shall be as per relevant drawings/additional specifications.
- 8.4 Bidders should note that unusually low rates not feasible for execution may not be technically accepted.
- 8.5 Bidders should note that during the time of execution of work, any item not covered by the schedule of work if required to be done as per decision of the CGM (H&C)/ Engineer-in Charge of APGCL, they have to execute such work/works as supplementary item of works, rates of which will be calculated by using the following formulae:

R = (T'/T) \* P

where, R= Rate of supplementary item of work

T'= Bid value

T= Tendered value

P= Accepted Rate for the work on S.O.R. APWD Building (Civil Works) for the year 2013-14 or S.O.R. APWD Building (Electrical Works) for the year 2013-2014.

If the rate of such supplementary item/items is/are not available in the aforesaid S.O.R, the same will be analyzed by the department as per reasonable market price but in any case of dispute for rate of supplementary item/items, the decision of CGM (H&C) will be final and conclusive.

- 8.6 The quoted rates will be firm for entire period of completion of the work and no price escalation will be admissible.
- 8.7 Firms submitting tender should enclose a certified copy of the Firm's constitution and a certified copy of Power of Attorney authorizing a person to operate the tender and contract and should furnish full address of the partners and the persons holding power of attorney on behalf of the firm.
- 8.8 Information regarding litigation, current or during the last five years, in which the Bidder is involved with APGCL/AEGCL/APDCL, must be furnished, if any in the form of declaration. If there is no litigation, then the bidder is requested to submit NIL in the form of declaration.
- 8.9 In the event of the date specified for bid receipt and opening being declared as a closed holiday for Purchaser's office, the due date for submission of bids and opening of bids will be the following working day at the appointed date and place.
- 8.10 The Corporation cannot be held responsible for non-receipt and postal delay.
- 8.11 Every page of the tender document to be duly signed by the bidder.

# 9. AWARD OF CONTRACT

- 9.1 The contract will be awarded to that responsible bidder whose bid, confirming to the schedule conditions of contract and specifications will be most advantageous to the Department, price and other factors considered. An award mailed (or otherwise furnished) to the successful bidder within the time for acceptance specified in the bid will result in a binding contract without further action by either party. The CGM (H&C), APGCL does not bind itself to accept the lowest bid or any bid. As the interest of the Department may require, the right is reserved to reject any or all bids and to waive any minor informality or irregularity in bids received without assigning any reason thereof. Bid which are incomplete or which contain undesirable conditions are liable to rejection.
- 9.2 APGCL will try to make timely payment of bills, but on unavoidable circumstances cannot guarantee timely payment of bills, for which no interest on the payable amount will be entertained.

#### 10. CONTRACT AGREEMENT

- 10.1 The 'Contract agreement' (or Tender Agreement) for the works will be drawn up with the selected bidder/bidders within 7 (Seven) days of issue of the work order and the contract documents will comprise as described herein before.
- 10.2 The conditions of the F-2 form shall form part and parcel of the agreement. However wherever there is any contradiction or variation between the conditions of the F-2 form, the terms and conditions specified elsewhere in this document, the later will be treated as superseding the former. Terms and conditions shall be as per F-2 Form of agreement and has to follow accordingly. In the Form-F-2 all the designations appearing as Executive Engineer/Sub divisional Officer shall be read as Chief General Manager (Hydro & Civil), Assam Power Generation Corporation Limited (herein after called as C.G.M (H&C), APGCL).
- 10.3 In a case where the selected bidder fails to commence the work as shall be notified in the work order or fails to execute the tender agreement with the CGM (H&C), APGCL as stipulated herein before; the CGM (H&C), APGCL reserves the right to claim loss, damage etc. and take appropriate action under the terms of this document or law including forfeiture of E.M.

#### 11. TOOLS & PLANTS

11.1 The APGCL shall not furnish any tools & tackle, plants and equipment or such facilities for carrying out the work by the contractor (excluding hypothecation). The contractor shall arrange and maintain the equipment required for implementation of work all throughout the period of the contract.

## 12. MATERIALS & LABOUR

- 12.1 All materials (this includes without limitation raw materials, parts, components etc.) and labour required for carrying out the work shall be arranged and furnished by the contractor all throughout the tenure of the contract and strictly conform to relevant IS Code (latest revision).
- 12.2 The intending tenderers should inspect the prospective sources of collection of raw materials and fully satisfy him about the quality of materials, availability of materials, lead, and mode of transportation. The Department shall not consider, after acceptance of the contract, to pay any extra charge for lead or any other reasons, in case the contractor found later on, to have misjudged, the quality/quantity of availability of such materials from the source of collection.
- 12.3 APGCL shall not issue any construction materials such as cement, reinforcement bar, or any other materials.
- 12.4 In connection with the performance of work throughout the tenure of the contract, the engagement of labour and payment therefore by the contractor shall conform to the statute, the pertinent law or act of the Central & State Govts, as well as rules, regulations and orders of the local authorities or statutory bodies, as may be in force from time to time.
- 12.5 The materials procured for the work by the contractor shall be placed at site properly for inspection of Engineer-in charge before utilization. Any defecting materials should be replaced immediately for which no extra charge will be payable to the contractor.

#### 13. CHANGES IN QUANTITY AND ITEM

- 13.1 The CGM (H&C), APGCL may at any time, by a written order make changes within the general scope of the contract, in any one or more of the following
  - i) Quantity of any item
  - ii) Alteration or omission of any item
  - iii) Addition of any item
  - iv) Alteration in drawings, designs or specifications

If any such change causes an increase or decrease in the cost of or the time required for performance of the contract, an equitable adjustment shall be made in the contract price or time schedule or both and the contract shall be modified in writing accordingly. Any claim by the contractor for adjustment under this clause must be asserted within 30 days from the date of receipt by the contractor of the notification of change: PROVIDED HOWEVER, that the CGM (H&C) if decides that the facts justify such action, may receive and act upon any such claim asserted at any time prior to final payment under the contract. Failure to agree to any adjustment shall be a dispute concerning a question of fact within the meaning of the disputes mentioned herein after. However nothing in this clause shall excuse the contractor from proceeding with the contract as changed.

### 14. <u>INSPECTION</u>

- 14.1 All works and all supplies (this term includes without limitation raw materials, parts, components, intermediate assemblies and end products) under the contract shall be subject to inspection and test by the CGM (Hydro & Civil), APGCL or his authorized person to the extent practicable at all times and places including the period of construction or manufacture and in any event prior to final acceptance.
- 14.2 In case any work or part thereof or/and any supply is found defective in material or workmanship or otherwise not in conformity with the specifications or drawings or requirements of the contract, the CGM (Hydro & Civil), APGCL shall have the right either to reject them or to require their correction, as directed by the department.
- 14.3 The inspection and test by the CGM (Hydro & Civil), APGCL or his authorized person of any work or any supplies does not relieve the contractor from any responsibility regarding defects or other failures to meet the contract requirements which may be discovered prior to final acceptance. Except as otherwise provided in this contract final acceptance shall be conclusive except as regards latent defects, fraud or such gross mistakes as amount to fraud.
- 14.4 The contractor shall provide and maintain an inspection system acceptable to the CGM (Hydro & Civil), APGCL covering the works and/or supplies hereunder. Records of all inspection works by the contractor shall be kept complete and available to the CGM (Hydro & Civil), APGCL during the performance of this contract.

# 15. FORCE MAJEURE

15.1 Force Majeure shall cover only act of God, Fire, War, Strikes, Riots and Civil Commotion, Act of Government etc. Any constraints other than those specified above will not constitute force majeure condition. In view of the other constraint beyond the control of the Contractor primarily due to statutory compulsion, extension of execution may also be considered on individual merit of the case. In case of Force Majeure condition the contractor shall notify such condition to CGM (H&C) within 15 (fifteen) days from the beginning of such delay in writing for consideration and acceptance.

#### 16. LIQUIDITY DAMAGE

16.1 The liquidated damages shall be payable for delay in completion of the work @ 1 % (one percent) of the executed value per week. The liquidated damages so payable shall not exceed 10% (ten percent) of the executed value. However, the payment of liquidated damages shall not in any way relieve the Contractor from any of its obligations to complete the works or from any other obligations and liabilities of the Contractor under the Contract.

# 17. TERMS OF PAYMENT

- 17.1 1) Bills shall be entertained on the basis of actual measurement of completed works as per standard procedure.
  - 2) Every payment shall be made subject to the availability of fund.

#### 18. CONTRACTUAL FAILURE:

18.1 In the event of Contractual Failure of any respect on the part of the successful bidder, APGCL shall be entitled to forfeit the EMD or any money received from the bidder and may take appropriate action under the terms of the Contract or Law.

## 19. SETTLEMENT OF DISPUTE:

19.1 In the event of any dispute or differences at any time arising between the parties relating to work or any other clauses or any content of the right and liabilities of the parties or other matters specified therein or with reference to anything arising out of

the such dispute or differences shall be endeavored to be resolved by mutual negotiation. If, however, such negotiation is infructuous, the dispute should be finally settled through Arbitration and Conciliation Act 1996 by three arbitrators appointed in accordance with the said Act. The decision of the arbitrator shall be final & binding upon the parties and the expense of the arbitration shall be paid as may be determined by the arbitrator in accordance with provisions of Arbitration and Conciliation Act 1996. The arbitration proceedings shall be held in Guwahati.

#### 20. TERMINATION:

20.1 APGCL may, by not less than 7 (seven) days written notice may terminate the contract, if the contractor :- (i) fails to remedy a failure in the performance of his obligations, (ii) becomes insolvent or bankrupt, (iii) submit to APGCL statement which has a material effect on the rights, obligations or interest of APGCL and which the contractor known to be false, (iv) as result of force majeure, if the whole work cannot be performed for a continuous period of 90 (ninety) days. APGCL shall make payment upon termination to contractor the services performed by the contractor to the entire satisfaction of APGCL prior to date of termination.

#### CHAPTER-IV

### SAFETY ENGINEERING & SAFETY CODE

# 1. <u>SAFETY ENGINEREING</u>

Accident prevention shall be an essential part of the programme of the contractor for all operations involve in performance of the contract under this invitation in order to reduce the cost of construction measures in terms of:

- a. Human life sacrificed
- b. Temporary and permanent injuries to workers.
- c. Loss of materials resulting from accidents.
- d. Loss of damage to equipment.
- e. The cost of workman's compensation insurance.
- f. Loss of times due to accidents.

Suitable safety programme to be developed to cope with the particular hazards for each operations of the performance of the contract.

#### 2. INSPECTION

To ensure effective enforcement of the rules and regulations relating to safety precautions, the arrangements made by the contractor shall be open to inspect by the Engineer-in-Charge or his representative.

# 3. <u>COMPENSATION</u>

No extra charges or additional compensation will be admissible to the contractor by the department for any work done to comply with the provisions of safety Engineering and Safety Code.

#### CHAPTER-V

#### CONTRACTOR'S CAMP

# 1. <u>CAMP SITES</u>

The contractor shall provide, maintain and operate under competent direction such camp facilities convenient to the site works under this contract as are necessary for housing, feeding and accommodation of his employees. The location, construction, operation and maintenance of such camps shall be subject to the approval of the Assistant General Manager/ Engineer in charge of the site.

#### 2. USE OF LAND FOR CONSTRUCTION PURPOSES

Such land as may be available at work- site will be allowed to be used by the contractor for construction of his camps free of charge. However, development of clearances of the land will have to be done by the contractor at his own cost. The contractor will be responsible to clear and clean the site after completion of his works and handover the land to the Engineer-in-Charge. The contractor will be liable to pay compensation for any damages done to the land or neighboring area.

# 3. <u>SANITATION IN CAMP SITE:</u>

The temporary sanitation in the campsite should be properly maintained and hygienic so that pollution can be controlled and just before completion of the work site must be cleared properly.

# 4 **ELECTRICITY SUPPLY:**

Electricity supply will be on chargeable basis.

# **CHAPTER-VI**

# **DECLARATION**

I / We hereby declare that I/we shall treat the tender documents and other records connected with the works as secret/confidential and shall not communicate information derived there from to any person other than person to whom I//We/am/are authorized to communicate the same or use the information to any manner prejudicial to the safety of the state.

Signature of the tenderer
Full Name
(In Block letters)
Address
Phone/ Mobile
Date:

# CHAPTER-VII

# **DECLARATION OF LITIGATION**

Information on litigation history in which bidder is involved

Employer	Cause of	Amount involved	Remarks showing present
(APDCL/APGCL/AEGCL)	Dispute		status

# **CHAPTER-VIII**

# Schedule of work

#### ANNEXURE-A

To,

The Chief General Manager (Hydro & Civil), APGCL, Bijulee Bhawan, Paltanbazar, Guwahati-1

Sub: Submission of tender for the work "Construction office chamber of CGM (PP&I), APGCL"

Ref: Your Tender Notice No. 03 of 2020-21 of CGM (H&C) Dated: 05/08/2020

Dear Sir,

# A. Schedule of work:

Sl. No.	Description of Item	Unit	Quantity	Rate	Amount (In Rs.)
1	Dismantling of existing aluminium windows/	sqm	10.18		(III Its.)
1	aluminium ventilators without damaging the	Sqiii	10.10		
	walls, removing to a safe place and necessary				
	repairs to the edges of walls				
2	Dismantling all types of partitions and wall lining	sqm	58.46		
	and stacking the materials as directed by the				
	department for all levels				
3	Providing, fitting and fixing anodised aluminium w				
	approved brand without horizontal glazing bars	-			
	relevant IS specifications) fitted with 6mm x 3.15	_		_	
	150mm x 100mm x 100mm in 1:3:6 mix including	-	_		•
	joining cleat, bolting device, locking arrangement,		-	•	ete as specified
	and directed for all levels. (Cement concrete to be m	easure	d and paid s	eparately).	
3.01	Side hung and Top hung windows and ventilators	sqm	8.25		
	with 6 mm clear glass				
3.02	Fixed ventilators with 5mm frosted glass	sqm	1.93		
	D :1: (c	. 1	1 11	1 1:	1 1
4	Providing, fitting and fixing anodised aluminuim f	-	_		
	frame made of 100mm x 45mm x 2.5mm section of			=	
	x 45mm x 2.5mm, top rails 50mm x 45mm x 2mm				
	rails 100mm x 45mm x 2.5mm fitted with glazi				
	including hydraulic floor spring, pivot, tower bol				nandie, lock,
4.01	angles, cleat etc complete as specified and directed	_	_	at all levels.	
4.01	5mm frosted glass	sqm	1.59		
4.02	Prelaminated Board	sqm	2.40		

5	Providing, fitting and fixing anodised aluminium	sqm	43.89	
	partition walls of standard sections of approved	sqiii	40.00	
	brand, joints mitred and welded (manufactured to			
	relevant I.S. specification) and providing and			
	fitting angle cleat, rubber gasket, bolting device			
	screws etc. at all levels. Partly 5mm thick glass			
-	panes and 12mm prelaminated ply board		0.041	
6	Providing wood work with 1st class timber	cum	0.041	
	(Bonsum/ Sundi) of size 50mm x 50mm in frame			
	(chowkaths) of doors, windows, clerestory			
	windows and other similar works wrought,			
	framed and fixed in position in contact with C.C			
	or brick masonry wall including supplying, fitting			
	and fixing with M.S. hold fast			
	(40mmx3mmx250mm) as per design embeded in			
	cement concrete block in proportion 1:2:4 and			
	with two coats of kiricide oiling to the timber			
	faces in contact with C.C and masonry as directed			
	and specified.			
7	Providing and fixing 19/20mm thick block board	sqm	3.60	
	shutters (one side Teak and other side			
	commercial) for cupboard including black			
	enamelled M.S. butt hinges (75mmx			
	40mmx1.12mm) 6 nos. with necessary wood			
	screws (fully panelled)			
8	Removing dry or oil bound distemper by washing	sqm	57.06	
	and scraping and sand papering the wall surface			
	smooth including necessary repairs to scratches			
	complete.			
9	Extra over item no (8) above for removing dry or	sqm	36.95	
	oil bound distemper on ceiling and in sloping roof.			
10	Providing two coats of Birla White Wall Care	sqm	57.06	
	Putty (Water Resistant White Cement based			
	putty for concrete/ mortar walls and ceiling both			
	internal and external) after removing all loosely			
	adhering material from the wall surface with the			
	help of emery stone, putty blade or wire brush			
	and moistening the wall with sufficient quantity			
	of clean water as specified and directed by the			
	department. (Total thickness of two coats is			
	1.5mm)			
11	Wall painting (two coats) with acrylic emulsion	sqm	57.06	
	paint approved brand and manufacture (Asian			
	paint/ Berger paint/ ICI paint/ J & N paint/			
	Nerolac) on new surface to give an even shade			
	after thoroughly brushing the surfaces free from			
	mortar droppings and other foreign matter and			
	sand papered smooth.			
	(a) Acrylic Emulsion Paint approved brand and			
	v 11			

			1	1	
	paint/ J & N paint/ Nerolac)				
12	Providing VITRIFIED floor tiles of approved	sqm	33.70		
	quality of specified size, shape and thickness not	_			
	less than 18mm on floors, skirting, risers and				
	treads of steps over 15 mm thick base of cement				
	mortar in prop. 1:3 (1 cement : 3 coarse sand)				
	including cutting where necessary finished with				
	flush pointing with Fix-A-Tile				
	(Choksey/Sika/Pedelite/Rouf)/white cement slurry				
	mixed with approved pigment to match shade of				
	tiles, mixed with approved pigment to match the				
	shade of the tiles, complete at all levels as				
	specified and directed. (Coloured pigment should				
	be in conformity with colour of tiles and as				
	approved and directed by the Department)				
	a) Normal range				
	Somany/ Orient/Nitco /Varmora/VITA/ Marbito/				
	Make ii) Of size 600mmx600mm and above				
13	Demolishing skirting/ dado in walls/ R.C.C. &	01177	0.017		
10	P.C.C. members without causing damage to walls/	cum	0.017		
	member upto any height including disposal of				
	debris as directed for all levels				
14	Applying priming coat over new wood and wood	sqm	2.48		
	based surfaces over 100mm in girth/width after	Sqiii	2.10		
	and including preparing the surface by				
	thoroughly cleaning oil, grease, dirt and other				
	foreign matter, sand papering and knotting.				
	(a) With ready mixed paint, wood primer (white)				
15	Painting two coats (excluding priming coat) on	sqm	2.48		
	new wood and wood based surface with enamel				
	paint of approved brand and manufacture (Asian				
	paint/ Berger paint/ ICI paint/ J & N paint/				
	Nerolac) to give an even shade including cleaning				
	the surfaces of all dirt, dust and other foreign				
	matter sand papering and stopping.				
	(i) Surfaces over 100mm in width or girth.				
	a) General purpose (Asian paint/ Berger paint/				
10	ICI paint/ J & N paint/ Nerolac).		00.50		
16	Scraping off Linoleum/Vinyl floor and glue by	sqm	33.70		
	cutting it into parallel strips about 6 inches wide				
	with utility knife and then pulling each strip to reveal the glue underneath. Then the glue should				
	be scrapped with the help of a paint scrapper or				
	remover and the floor should be cleaned				
	thoroughly free from all dirt as directed by the				
	department				
17	Supplying, fitting, fixing anodised aluminium fittir	ngs of ar	proved ma	ke, reasonab	ly smooth, free
	from sharp edges and corners, flaws and other de				
1	1				


	including necessary aluminium screws etc. compl finished)	ete (ano	dised to b	right natura	l matt & sati
17.01	75mm Door handles	each	12		
17.02	50mm x 35mm x 2mm Butt hinge	pair	12		
17.03	40mm Cupboard lock	each	6		
18	Supplying, fitting and fixing MAC blinds horizontal and vertical complete as specified and directed by the department at all levels.  (A) Vertical blinds  (a) Regular  iv) 50 mm	sqm	16.5		
19	Supplying, fitting and fixing vinyl carpet flooring with adhesive including cleaning the floor free from dirt and other materials etc. as directed by the department	sqm	35.03		
20	Labour included for final room cleaning, relocation of items and other miscellaneous works	each	5		
21	Wiring for light/fan/call bell point with 2x1.5 sq. mm. P.V.C. insulated single core unsheathed industrial (Multistrand) cable FR conforming to IS-694: 1990 with flexible bright annealed electrolytic copper conductor for voltage grade up to 1100 volts (Finolex /RR Kabel /Nicco / Anchor or Equivalent Make as approved by the Deptt.) with flat 19mm ISI marked casing 'n' caping(Berlia/ AKG / Precision/ Presto Plast/Polycab/ MW or equivalent make as approved by the Deptt.) including 6 Amp flush type switch/ bell push (Anchor penta /Gold medal /Kolor kany.Kom/Havells or equivalent make as approved by the Deptt.) GI/ MS switch board (ISI marked) with phenolic laminated sheet cover ,ceiling rose (Anchor penta /Gold medal /Kolor kany.Kom/Havells or equivalent make as approved by the Deptt.) etc. complete Short point up to 3.00 metre length.	each	14		
22	Wiring for 5/6 pin 16 amp plug with 4 sq mm P.V.C. insulated single core unsheathed industrial (Multistrand) cable FR conforming to IS-694: 1990 with flexible bright annealed electrolytic copper conductor for voltage grade up to 1100 volts (Finolex /RR Kabel /Nicco / Anchor or Equivalent Make as approved by the Deptt.) with flat 19mm ISI marked casing 'n' caping (Berlia/ AKG / Precision/ Presto Plast/Polycab/ MW or equivalent make as approved by the Deptt.) including and fixing 5/6 pin 16 amp flush type plug socket outlets and 16	each	2		


	Amp flush type switch (Anchor penta /Gold medal				
	/Kolor kany.Kom/Havells or equivalent make as				
	approved by the Deptt.), GI/MS switch board(I.S.I				
	marked) with phenolic laminated earth cover				
	including earth continuity with 2.5 sq mm cable				
	to third pin of the plug socket as required				
	complete				
	Short point up to 3.00 metre length.				
23	Wiring for 5 pin 6 amp plug with 1.5 sq mm	each	13		
	P.V.C. insulated single core unsheathed				
	industrial (Multistrand) cable FR conforming to				
	IS-694: 1990 with flexible bright annealed				
	electrolytic copper conductor for voltage grade up				
	to 1100 volts (Finolex /RR Kabel /Nicco / Anchor				
	or Equivalent Make as approved by the Deptt.)				
	with flat 19mm ISI marked casing 'n'				
	caping(Berlia/ AKG / Precision/ Presto				
	Plast/Polycab/ MW or equivalent make as				
	approved by the Deptt.) including 5 pin 6 amp				
	socket outlet (Anchor penta /Gold medal /Kolor				
	kany.Kom/Havells or equivalent make as				
	approved by the Deptt.)make) and 6 amp flush				
	type switch (Anchor penta /Gold medal /Kolor				
	kany.Kom/Havells or equivalent make as				
	approved by the Deptt.) MS switchboard ISI				
	marked with phenolic laminated switch cover				
	including earth continuity with 1.5 sqmm cable to				
	third pin of the plug socket etc. as required				
	complete, when placed elsewhere.				
	Short point up to 3.00 metre length.				
24	Supplying including fitting fixing of following A.C.	Ceiling	fan complet	e with all ac	cessories like
	down rod, canopy etc. of following sweeps with mak	_	=		
	Deptt.) as required complete and as directed by the	_	=		
24.01	Standard model 1400 mm Sweep. "ORIENT	each	1	out regulator	1.
24.01	PSPO make) / Usha make)/ CROMPTON	eacii	1		
	make)/ Havells/ ATC/ V GAURD make)				
04.00		1	1		
24.02	High speed 1050mm sweep (Orient PSPO make)	each	1		
25	Supplying, Fitting, Fixing Electronic fan	each	2		
	regulator including complete connection				
26	Sleek and compact T-8 in plastic batten	each	2		
	luminaries complete with electronic ballast with 1				
	x 36W fluoroscent tube (Comptron Greaves make)				
	Model-T8 L036 EB X-LITE with with super saver				
	lamp. Or equivalent (Equivalent will be selected				
	by deptt. considering the motor items rate)				
	PHILIPS/WIPRO/BAJAJ/Havells/HPL/SOLAR/				
97	Jaquar make	0001-	1		
27	Supplying with installation, testing and	each	1		
	commissioning of Hi- wall 4 star rating, non				


	ducted split type air conditioner of the following			
	capacity with cordless remote complete with			
	indoor and outdoor unit, copper pipe and			
	electrical connection as approved by the deptt.			
	upto 5m between the room unit and outdoor unit			
	as directed by the department.			
	1.5 ton capacity			
	Bluestar make model 4WAE181YA			
28	Supplying with fitting and fixing Voltage	each	1	
	stabilizer of the following specification complete			
	including making necessary connection as			
	approved, specified and directed by the deptt			
	(SKY-LAND/ Vee-Dee/ V GUARD/ VERTEX/			
	INDO/VENUS make).			
	3.0 KVA Automatic input 90-280 V Output 200-			
	240V			
29	Ceiling mounted 18W LED Lamp	each	4	
30	25A AC Starter Roma make	each	1	
		In	figures	1
	Total	In	words	
		111	11 01 00	
	25A AC Starter Roma make	each In	1	

# CHAPTER-IX

# **DRAWINGS**







# DOORS AND WINDOWS SCHEDULE

DOOF	SCHEDULE			
DOOR	SIZE OF	OPENING	DESIGNATION	
BOOM	WIDTH (mm)	HEIGHT (mm)	BEGIGINATION	
D1	975	2075	10NS21	1

NOTE: Door specification- Anodised Al framed doors with anodised Al frame made of 100 x 45 x 2.5 mm section, door style of size 88 x 45 x 2.5 mm, top rails 50 x 45 x2 mm, lock rails 100 x 45 x 2.5 mm fitted with glazing clip, special type rubber gasket, hydraulic floor spring, pivot, tower bolt in each leaf, Al door handle, lock angles and cleat etc.

The abbreviation 'Al' stands for Alluminium

#### WINDOW SCHEDULE

MINDOM	WINDOW SEGMENT			VENTILATION SEGMENT			
WINDOW	WIDTH (mm)	HEIGHT (mm)	SILL LVL (mm)		WIDTH (mm)	HEIGHT (mm)	DESCRIPTION
W1	5500	1150	800	Ten Side Hinged glazed Al single shutter	5500	350	Ten Top hung single glazed Al shutter
FIXED LIC	HT WINDOW	SCHEDULE					
LIGHT V	VINDOW	WIDTH (mm)	HEIGHT (mr	m)	DESCRIPTION		
L.		5500	350	Anodis	Anodised Alluminium glazed fixed light wind		

Kaushik Jaluhdan 19105/20

Asstt. Manager (Civil) O/o the CGM (Hydro & Civil) APGCL, Bijulee Bhawan, Paltanbazar, Guwahati-1

A winnesh Jack (a

19/05/000 0 0 0

Deputy Manager(C)

Olo the Chief General Manager (Hydro & Civil)

APGCL, Bijulee Bhawan,
Paltanbazar, Guwahati-1